



IEC 61162-460

Edition 3.0 2024-04

INTERNATIONAL STANDARD



**Maritime navigation and radiocommunication equipment and systems – Digital interfaces –
Part 460: Multiple talkers and multiple listeners – Ethernet interconnection –
Safety and security**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 47.020.70

ISBN 978-2-8322-8275-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
4 High-level requirements.....	16
4.1 Overview.....	16
4.2 Description	16
4.3 General requirements	16
4.3.1 Equipment and system requirements	16
4.3.2 Physical composition requirements	17
4.3.3 Logical composition requirements	17
4.4 Physical component requirements.....	17
4.4.1 450-Node.....	17
4.4.2 460-Node.....	18
4.4.3 460-Switch	18
4.4.4 460-Forwarder	18
4.4.5 460-Gateway and 460-Wireless gateway	19
4.5 Logical component requirements.....	19
4.5.1 Network monitoring function	19
4.5.2 System management function	19
4.6 System documentation requirements	19
4.7 Secure area requirements.....	20
5 Network traffic management requirements.....	20
5.1 460-Node requirements.....	20
5.2 460-Switch requirements.....	20
5.2.1 Resource allocation	20
5.2.2 Loop prevention.....	21
5.3 460-Forwarder requirements	21
5.3.1 Traffic separation.....	21
5.3.2 Resource allocation	22
5.3.3 Traffic prioritization.....	22
5.4 System design requirements	23
5.4.1 Documentation	23
5.4.2 Traffic.....	23
5.4.3 Connections between secure and non-secure areas	23
6 Security requirements.....	24
6.1 Security scenarios	24
6.1.1 Threat scenarios.....	24
6.1.2 Internal threats	24
6.1.3 External threats	24
6.2 Internal security requirements.....	25
6.2.1 General	25
6.2.2 Denial of service protection	25
6.2.3 REDS security	25
6.2.4 Access control.....	26
6.2.5 Executable and non-executable file security	28

6.2.6	Recording of device management activities	29
6.3	External security requirements	30
6.3.1	Overview	30
6.3.2	Firewalls	30
6.3.3	Direct communication	31
6.3.4	Node requirements for direct communication	32
6.3.5	460-Gateway	33
6.3.6	460-Wireless gateway	34
6.4	Additional security issues	35
6.5	Onboard software maintenance	36
6.5.1	General	36
6.5.2	Roll back to previous safe configuration	36
6.5.3	Software maintenance in maintenance mode	37
6.5.4	Semi-automatic software maintenance by the crew onboard the vessel	37
6.5.5	Remote software maintenance	38
6.6	Secure software lifecycle management	39
7	Redundancy requirements	39
7.1	General requirements	39
7.1.1	General	39
7.1.2	Interface redundancy	39
7.1.3	Device redundancy	40
7.2	460-Node requirements	40
7.3	460-Switch requirements	40
7.4	460-Forwarder requirements	40
7.5	460-Gateway and 460-Wireless gateway requirements	40
7.6	Network monitoring function requirements	41
7.7	System design requirements	41
8	Network monitoring requirements	41
8.1	Network status monitoring	41
8.1.1	460-Network	41
8.1.2	460-Node	41
8.1.3	460-Switch	41
8.1.4	460-Forwarder	42
8.2	Network monitoring function	42
8.2.1	General	42
8.2.2	Network load monitoring function	43
8.2.3	Redundancy monitoring function	44
8.2.4	Network topology monitoring function	45
8.2.5	Syslog recording function	47
8.2.6	Redundancy of network monitoring function	48
8.2.7	Alert management	48
9	Controlled network requirements	49
10	Methods of testing and required test results	50
10.1	Subject of tests	50
10.2	Test site	50
10.3	General requirements	51
10.4	450-Node	51
10.5	460-Node	51

10.5.1	Network traffic management	51
10.5.2	Security	52
10.5.3	Redundancy	55
10.5.4	Monitoring	55
10.6	460-Switch	55
10.6.1	Resource allocation	55
10.6.2	Loop prevention	56
10.6.3	Security	56
10.6.4	Monitoring	59
10.7	460-Forwarder	60
10.7.1	Traffic separation	60
10.7.2	Resource allocation	60
10.7.3	Traffic prioritisation	61
10.7.4	Security	61
10.7.5	Monitoring	62
10.8	460-Gateway	63
10.8.1	Denial of service behaviour	63
10.8.2	Access control to configuration setup	63
10.8.3	Communication security	63
10.8.4	Firewall	64
10.8.5	Application services	65
10.8.6	Interoperable access to file storage of DMZ	65
10.8.7	Additional security	66
10.9	460-Wireless gateway	66
10.9.1	General	66
10.9.2	Security	66
10.10	Controlled network	66
10.11	Network monitoring function	67
10.11.1	General	67
10.11.2	Network load monitoring function	67
10.11.3	Redundancy monitoring function	68
10.11.4	Network topology monitoring function	68
10.11.5	Syslog recording function	69
10.11.6	Alert management	69
10.12	System level	70
10.12.1	General	70
10.12.2	System management function	71
10.12.3	System design	71
10.12.4	Network monitoring function	73
10.12.5	Network load monitoring function	73
10.12.6	Redundancy monitoring function	73
10.12.7	Network topology monitoring function	73
Annex A (informative) Communication scenarios between an IEC 61162-460 network and uncontrolled networks		74
A.1	General	74
A.2	Routine off-ship	74
A.3	Routine on-ship	75
A.4	460-Gateway usage for direct connection with equipment	75
Annex B (informative) Summary of redundancy protocols in IEC 62439 (all parts)		76

Annex C (informative) Guidance for testing 77

 C.1 Methods of test 77

 C.2 Observation 77

 C.3 Inspection of documented evidence 77

 C.4 Measurement 77

 C.5 Analytical evaluation 78

Annex D (informative) Some examples to use this document 79

Annex E (normative) IEC 61162 interfaces for the network monitoring function 83

Annex F (informative) Distribution of functions around 460-Network 84

Annex G (normative) USB class codes 86

Annex H (informative) Cross reference between IACS UR E26/E27 and IEC 61162-460 87

Bibliography 90

Figure 1 – Functional overview of IEC 61162-460 applications 16

Figure 2 – 460-Network with 460-Gateway 30

Figure 3 – Example of redundancy 39

Figure 4 – Example of network status recording information 43

Figure A.1 – Usage model for communication between a IEC 61162-460 network and shore networks 74

Figure D.1 – 460-Forwarder used between two networks 79

Figure D.2 – 460-Forwarder used between two networks 79

Figure D.3 – 460-Gateway used for e-Navigation services 80

Figure D.4 – 460-Gateway used for remote maintenance 80

Figure D.5 – 460-Forwarder used to separate an INS system based on its own controlled network from a network of -460 devices 81

Figure D.6 – 460-Forwarder used to separate a radar system based on its own controlled network from a network of -460 devices 82

Figure E.1 – Network monitoring function logical interfaces 83

Table 1 – Traffic prioritization with CoS and DSCP 22

Table 2 – Summary of alert of network monitoring 48

Table B.1 – Redundancy protocols and recovery times 76

Table E.1 – Sentences received by the network monitoring function 83

Table E.2 – Sentences transmitted by the network monitoring function 83

Table F.1 – Distribution of functions around 460-Network 84

Table F.2 – Equipment standards referencing IEC 61162-460 85

Table G.1 – USB class codes 86

Table H.1 – Cross reference between IACS UR E26/E27 and IEC 61162-460 87

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 460: Multiple talkers and multiple listeners – Ethernet interconnection – Safety and security

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61162-460 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems. It is an International Standard.

This third edition cancels and replaces the second edition published in 2018 and Amendment 1:2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) term application server in the 460-Gateway has been changed to application service and application services have been clarified;
- b) based on field experience the alert limit of the network monitoring load has been changed from 80 % to 90 %;

- c) default time for escalation of a warning to an alarm has been changed from max 60 seconds to max 5 minutes as allowed by IMO BAM rules and escalation from caution to warning has been removed from the use of direct access;
- d) recorded event size in network monitoring function has been changed from 1 000 bytes to 1 472 bytes (i.e. size of an ethernet datagram in the network);
- e) requirements have been incorporated for cyber resilience given by the International Association of Classification Societies (IACS) in their documents UR E26 and UR E27. A new Annex H has been added giving a cross reference between the IACS documents and this document.

The text of this International Standard is based on the following documents:

Draft	Report on voting
80/1103/FDIS	80/1112/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This International Standard is to be used in conjunction with IEC 61162-450:2023.

A list of all parts in the IEC 61162 series, published under the general title *Maritime navigation and radiocommunication equipment and systems – Digital interfaces*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – DIGITAL INTERFACES –

Part 460: Multiple talkers and multiple listeners – Ethernet interconnection – Safety and security

1 Scope

This part of IEC 61162 is an add-on to IEC 61162-450 where higher safety and security standards are needed, for example due to higher exposure to external threats or to improve network integrity. This document provides requirements and test methods for equipment to be used in an IEC 61162-460 compliant network as well as requirements for the network itself and requirements for interconnection from the network to other networks. This document also contains requirements for a redundant IEC 61162-460 compliant network.

This document does not introduce new application level protocol requirements to those that are defined in IEC 61162-450.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61162-450:2023, *Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 450: Multiple talkers and multiple listeners – Ethernet interconnection*

IEC 62923-1, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 1: Operational and performance requirements, methods of testing and required test results*

IEC 62923-2, *Maritime navigation and radiocommunication equipment and systems – Bridge alert management – Part 2: Alert and cluster identifiers and other additional features*

IEEE 802.1D-2004, *IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges*

IEEE 802.1Q, *IEEE Standard for Local and metropolitan area networks: Virtual Bridged Local Area Networks*

ISOC RFC 792, *Internet Control Message Protocol (ICMP), Standard STD0005 (and updates)*
Available at <https://tools.ietf.org/html/rfc792>

ISOC RFC 1112, *Host Extensions for IP Multicasting*
Available at <https://www.ietf.org/rfc/rfc1112.txt>

ISOC RFC 1157, *A Simple Network Management Protocol (SNMP)*
Available at <https://tools.ietf.org/html/rfc1157>

ISOC RFC 2021, *Remote Network Monitoring Management Information Base Version 2*
Available at <https://tools.ietf.org/html/rfc2021>

ISOC RFC 2236, *Internet Group Management Protocol, Version 2*
Available at <https://tools.ietf.org/html/rfc2236>

ISOC RFC 2819, *Remote Network Monitoring Management Information Base*
Available at <https://tools.ietf.org/html/rfc2819>

ISOC RFC 3411, *An Architecture for Describing Simple Network Management Protocol (SNMP) Management Frameworks*
Available at <https://www.ietf.org/rfc/rfc3411.txt>

ISOC RFC 3577, *Introduction to the Remote Monitoring RMON family of MIB modules*
Available at <https://tools.ietf.org/html/rfc3577>

ISOC RFC 4604, *Using Internet Group Management Protocol Version 3 (IGMPv3) and Multicast Listener Discovery Protocol Version 2 (MLDv2) for Source-Specific Multicast*
Available at <https://tools.ietf.org/html/rfc4604>

ISOC RFC 5424, *The Syslog Protocol*
Available at <https://tools.ietf.org/html/rfc5424>